Kentucky, AC +/-





D Boundary



|D Boundary 218.3 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CPI	NCCPI	CAP
CoD	Caneyville-Rock outcrop complex, 6 to 30 percent slopes	100.1 3	45.87	0	34	7e
CnD3	Caneyville silty clay, 6 to 20 percent slopes, severely eroded	30.52	13.98	0	37	7e
FwD	Frondorf-Weikert complex, 12 to 20 percent slopes	28.92	13.25	0	46	6e
FnC3	Frondorf silt loam, 6 to 12 percent slopes, severely eroded	10.09	4.62	0	37	4e
CaC	Caneyville silt loam, 6 to 12 percent slopes	10.06	4.61	0	61	3e
WIC3	Wellston silty clay loam, 6 to 12 percent slopes, severely eroded	9.78	4.48	0	70	4e
FwF	Frondorf-Weikert complex, 20 to 45 percent slopes	7.74	3.55	0	11	7e
WID3	Wellston silty clay loam, 12 to 20 percent slopes, severely eroded	7.09	3.25	0	56	6e
ZaC2	Zanesville silt loam, 6 to 12 percent slopes, eroded	6.31	2.89	0	47	3e
Sk	Skidmore gravelly loam, occasionally flooded	4.85	2.22	0	47	2s
WeC2	Wellston silt loam, 6 to 12 percent slopes, eroded	2.37	1.09	0	74	3e
NhB	Nicholson silt loam, 2 to 6 percent slopes	0.43	0.2	0	60	2e
CaB	Caneyville silt loam, 2 to 6 percent slopes	0.01	0.0	0	63	2e
TOTALS		218.3(*)	100%	-	40.06	6.1

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability								
	1	2	3	4	5	6	7	8
'Wild Life'	٠	٠	٠	٠	٠	٠	٠	٠
Forestry	٠	٠	٠	٠	٠	٠	٠	
Limited	٠	•	٠	•	٠	٠	٠	
Moderate	٠	٠	٠	•	٠	٠		
Intense	٠	•	•	•	٠			
Limited	٠	٠	٠	٠				
Moderate	٠	•	•					
Intense	٠	٠						
Very Intense	٠							

Grazing Cultivation

(c) climatic limitations (e) susceptibility to erosion

(s) soil limitations within the rooting zone (w) excess of water